



17,5mm female attachment plus spigot.



28mm (or 16mm) die cast aluminum socket and 16mm stud.



Quick action folding legs.

Aluminium versions  
Electric welded aluminum tubing for higher mechanical performance and reduced weight.

Steel versions  
Chrome-plated steel tubing.  
This surface finishing lasts longer, prevents oxidation and gives the product a polished look.

Parts made by die cast aluminum to ensure longer lasting mechanical performance and extension linearity of column.

Excellent protection against corrosion and wear is ensured by aluminum anodization.

Practical and quick positioning of light fixture.



All stands are equipped with free running wheels.



Low profile for easy positioning in the studio.



Leveling Leg.



## STEEL STUDIO STAND 297CS

 123cm
  207cm
  120cm
  100cm
  6,8kg




  
 20kg 12kg@207cm Type 14

Black steel base, chrome steel sections,  
 complete with wheels.  
 2 sections, 1 riser.  
 Ø: 35, 30mm.  
 1 levelling leg.



## COLUMN STAND 231CS

 35cm
  250cm
  121cm
  100cm
  8kg




  
 8kg 12kg@250cm Type 1 + Spigot Art. 013

Chromium plated steel post: Ø: 35mm.  
 Height of light fixture:  
 from ground level to 250cm.  
 Complete with braked wheels.  
 1 levelling leg.



## ALU COLUMN STAND 231B

 35cm
  250cm
  121cm
  100cm
  6,4kg





  
 8kg 2kg@250cm Type 1 + Spigot Art. 013

Black aluminium post: Ø: 35mm.  
 Height of light fixture:  
 from ground level to 250cm.  
 Complete with braked wheels.  
 1 levelling leg.





**BABY STUDIO STAND 299B**







108cm 272cm 105cm 75cm 4,8kg






12kg 2,2kg@272cm Type 3 + Spigot Art. 013

Black steel base, silver anodised aluminium sections, complete with wheels.  
 3 sections, 2 risers.  
 Ø: 35, 30, 25mm.  
 1 levelling leg.



**ALU STUDIO STAND 298B**




129cm 300cm 125cm 100cm 6kg





15kg 5kg@300cm Type 14

Black steel base, silver anodised aluminium sections, complete with wheels.  
 3 sections, 2 risers.  
 Ø: 35, 30, 25mm.  
 1 levelling leg.



These bases can be used for backlights of most sizes.

Simply add a century stand column to create your own rolling stand.

For leg storage fold up in a small package.

Universal head with 28mm sockets plus either 16mm socket or "pop-up" spigot.

Low profile base that slips easily into position on sets.

Leg levelling feature.



### FOOT BASE SMALL 299FBASE



21cm 36cm 75cm 3,5kg



40kg Type 14

1 levelling leg.  
Complete with feet.



### BRAKE BASE SMALL 299BBASE



28cm 36cm 75cm 4,8kg



40kg Type 14

1 levelling leg.  
Complete with braked wheels.



### FOOT BASE LARGE 297FBASE



21cm 52cm 100cm 4,4kg



40kg Type 14

1 levelling leg.  
Complete with feet.



### BRAKE BASE LARGE 297BBASE



28cm 52cm 100cm 5,7kg



40kg Type 14

1 levelling leg.  
Complete with braked wheels.

For compatible extensions see page 29.