






MONOPODS

The monopod is an important part of every photographer's support equipment. Besides the tripod, the monopod is the best way to hold a camera in situations where space is limited, the quantity and weight of the equipment carried on location needs to be kept to a minimum, or set-up speed is needed. Correctly handled, the monopod supplies all the camera support you are likely to need even for long lenses. Just look at the press and sports photographers - they would not bother with them if they did not get results!







DIGI MONOPOD 676B

- 
48cm
- 
154cm
- 
0.40kg
- 
4.5kg

What's even more compact, even lighter, even quicker to set up than a DIGI tripod? A DIGI monopod! When you don't need the total "hands-free" support of a tripod, a monopod is a convenient shoulder to lean on. Four section, lightweight monopod with rapid action extension locks for compact spotting scopes. 1/4"-20" fixing screw.

MAGFIBER MONOPOD 4 SECTION 694

- 
53cm
- 
165cm
- 
0.58kg
- 
5kg

Four section, lightweight carbon fibre and magnesium locking collars monopod. Ideal for sporting events, allowing the photographer to shoot over the heads of everyone. The Monopod has rapid action extension locks, a wrist strap and a camera platform with dual 1/4" and 3/8" camera fixing screw.

MAGFIBER MONOPOD 5 SECTION 695

- 
46cm
- 
160cm
- 
0.59kg
- 
5kg

Five section, lightweight carbon fibre and magnesium locking collars monopod. Extremely compact with a minimum length for transportation of 46cm. And four leg extensions allowing the monopod to be rapidly extended to a maximum height of 160cm. The Monopod is equipped with rapid action extension locks, a wrist strap and a camera platform with dual 1/4" and 3/8" camera fixing screw.

MONOPOD 679

- 
64cm
- 
162cm
- 
0.60kg
- 
10kg



Three section Monopod featuring sure rubber grip, wrist carrying strap, quick action lever leg lock system with 45° run, large 60 mm camera/head platform with plastic cover and dual 1/4" - 3/8" camera fixing screw.



COMPACT MONOPOD 680

- 
51cm
- 
154cm
- 
0.83kg
- 
10kg



Four section Monopod featuring sure rubber grip, wrist carrying strap, quick action lever leg lock system with 45° run, large 60 mm camera/head platform with plastic cover and dual 1/4" - 3/8" camera fixing screw.

PROFESSIONAL MONOPOD 681

- 
67cm
- 
161cm
- 
0.78kg
- 
12kg



Robust three section Monopod featuring sure rubber grip, wrist carrying strap, quick action lever leg lock system with 45° run, large 60mm camera/head platform with plastic cover and dual 1/4" - 3/8" camera fixing screw.


SELF-STANDING PRO MONOPOD 682

- 
74cm
- 
172cm
- 
1.1kg
- 
12kg



All the features of the professional Monopod 681 with a handy addition of three retractable legs. Dual 1/4" - 3/8" coaxial camera fixing screw.

NEOTEC PRO PHOTO MONOPOD 684B

- 
71cm
- 
166cm
- 
0.7kg
- 
8kg

With the same Neotec opening and closing mechanism as the 458B tripod, the 684B monopod is designed for support without sacrifice. It couldn't be easier or faster to set up - just pull the monopod leg downwards to open and automatically lock it in any position, with no screws, knobs or levers to tighten or loosen. Then to fold it back up again, pull the mechanism release trigger and push the leg closed. Its "upside down" construction also stops the worst of the mud you're standing in from ending up inside the monopod.

PAT. PENDING

AUTOMATIC MONOPOD 334B

- 
68cm
- 
166cm
- 
0.49kg
- 
8kg

The automatic, 3 section, monopod provides immediate single handed final height adjustment. Squeeze the trigger handle and the top section can be raised or lowered, release and it locks in position. The lower two sections have a twist lock action for additional height adjustment. The top plate has a dual 1/4"-3/8" camera fixing screw. PATENTED

Monopod Accessories



MONOPOD TILT TOP 234




6cm 0.27kg 2.5kg

Simple tilt head to allow a camera on a Monopod to be turned 90° to provide either vertical or horizontal format.



MONOPOD QUICK RELEASE TILT TOP 234RC



6cm 0.27kg 2.5kg 200PL-14

As 234 but with quick release camera plate system and secondary safety lock.



SHOULDER BRACE FOR MONOPOD 361

Designed to fit to the top end of any make of Monopod to give additional stability. Adjustable length with pivoting shoulder support.



MONOPOD SUPPORT 331

Fixed on the monopod, adds two points of support making it stable on any surface regardless of the inclination. Allows long exposures on automatic release. Comes complete with the Mini Ball Head 482. Attachment - 3/8" female for monopod.



UNIVERSAL FOLDING BASE 678



0.42kg 14kg

This unique accessory allow to add a base made of three foldable high strength steel legs to the Monopods 679, 680, 681. After using them the legs can be folded and stored inside the bottom section of the monopod ready in a few seconds when needed.



LONG LENS MONOPOD BRACKET 393



1kg

Specifically developed for use with very long lenses on Monopods. Key features: Friction base which enables the bracket to pan on Monopod, also can be used on a tripod. Two rubber hand grips plus rubber protection to prevent damage to lens when tilted to maximum. Variable centre height adjustment in three steps.



MONOPOD BELT POUCH 080

Worn on a belt, this easy to use pouch offers support for the base of a Monopod.



SPIKED FOOT FOR MONOPOD 236

Converts 679, 680 and 681 series monopods rubber foot to a spiked foot.



676SP2
695SP2
449SP2

RUBBER/SPIKED FOOT - STAINLESS STEEL

Reversible rubber/metal spiked foot supplied with a dedicated fixing tool. The spike is made of a special hard anodised aluminium alloy extremely resistant to corrosion.

676SP2: for monopods 679 and 680.

695SP2: for monopod 695.

449SP2: for monopods 676B and 694.



RUBBER/SPIKED FOOT 677SP

Rubber foot for with retractable metal spike, for monopod 681.



676SC2
695SC2
449SC2

SUCTION CUP/RETRACTABLE SPIKE FOOT

A rubber suction cup foot with retractable stainless steel spike. The suction cup increases the footprint of the monopod by almost 20 times, giving much greater stability when needed. The foot can be removed and replaced at will.

676SC2: for monopods 679 and 680.

695SC2: for monopod 695.

449SC2: for monopod 694.



SUCTION CUP/RETRACTABLE SPIKE FOOT 677SC

A rubber suction cup foot with retractable stainless steel spike. The suction cup increases the footprint of the monopod by almost 20 times, giving much greater stability when needed.

The foot can be removed and replaced at will.

For monopod 681.

ACCESSORIES DOLLIES AND SPREADER

Manfrotto dollies and spreaders maintain a tripod at a secure spread. Dollies provide instant manoeuvrability around the studio or on location and all have fast action foot controlled braking systems.



BASIC DOLLY 127



2.4kg 110cm

Designed for light and medium weight tripods. The 76mm wheels have a sure-lock feature that raises the wheels free of the ground so that the dolly rests on separate feet.

Designed for Manfrotto's Tripods: 055D, 055CL, 055PRO, 055MF3, 055MF4, 190D, 190CL, 190PRO, 190MF3, 190MF4, 458B.



PORTABLE DOLLY 127VS



3.4kg 78 to 114cm

Everything that the 127 has with the addition of variable spread to the legs. Suitable for standard and spiked feet.

Designed for Manfrotto's Tripods: 055D, 055CL, 055PRO, 055MF3, 055MF4, 190D, 190CL, 190PRO, 190MF3, 190MF4, 458B.



VIDEO DOLLY 114



8kg 112cm

Heavy duty, super sturdy dollies are designed for use with large still and video tripods. They feature large 127mm individually braked wheels with cable guards. Folds for transporting.

Designed for Manfrotto's Tripods: 058, 161MK2, 475.



FOLDING AUTODOLLY 181B




4.5kg 127cm

Single lever braking system controls all three 80mm wheels. Includes 3/8" attachment which allows you to fix a head for low angle shooting. It folds legs for transporting and storage.

Designed for Manfrotto's Tripods: 028, 058, 161MK2, 458B, 475.



TRIPOD SPREADER 165



0.65kg 80 to 130cm

Universal tripod spreader with variable diameter width controls from 80cm to 130cm.

Designed to work with most Manfrotto tripods.



TABLE CENTER POST 131TC

Geared column with clamp for table thickness from 18-38mm, for supporting a camera adjustable between 5cm and 66cm. Head not included.



AIR CUSHIONED TABLE CENTER POST 385

In view of the increasing demand for shop display systems for still & video cameras, we have produced a centre column equipped with a standard 58 mm disc and three grub screws as used on our 190 and 055 tripods. This also means the column can be combined with any head from our range. The bottom of the column has an 80mm disc which can be screwed directly to countertop/table or, alternatively, bolted to the included second disc on the underside of the countertop. Specifications: Column diameter: 30mm / 26mm Minimum Height 36cm Maximum Height 62cm Weight 1.1 kg Load capacity 10 kg. Available only in black finish.



LEVELL. CENTER COLUMN ANGLE BRACKET 553

Working with the center column in the horizontal position on Manfrotto tripod models 055, 190 and NEOTEC tripod family has always caused a slight difficulty, in that the head remains at 90° to the ground making it more difficult to position the camera correctly for shooting. Now this simple but had the most stable platform possible for filming, and that we could use ever-lighter materials, from aluminum to carbon fiber, to keep equipment weight to the bare minimum.



ACCESSORY ARM 131D **B**

Mounts on any column with 3/8" thread, this side arm allows positioning of two heads on a 90° perpendicular angle. Length: 600mm



SHORT COLUMN 055CCSB SHORT COLUMN 190CCSB

To improve the positioning flexibility of our tripods, a shorter center column is now available as an accessory which can be ordered separately. If you need to work with legs set at the third angle of inclination (about 60°) but still require the possibility to move the camera up and down to achieve perfect adjustment for the shot, this shorter column replaces the one supplied with the tripod.

The lengths are:
- 17.5 cm for the 055CCSB.
- 16.5 cm for the 190CCSB.
190CCSB for tripods series 190.
055CCSB for tripods series 055.



ACCESSORY ARM FOR 4 HEADS 131DD **B**

Similar to the 131D with the addition of two positional head mounts on the side arm allowing the possible mounting of four heads. Length: 600mm



LEV. CENTRE COLUMN 555B LEV. CENTRE COLUMN 556B


Our innovative system means you can quickly level your photo or video head without needing to make time-consuming adjustments to the length and angle of each single tripod leg. One of the most common problems in still photography and, above all, video has been resolved by Manfrotto, thanks to the use of a 50mm diameter levelling half ball mounted at the top of a tripod centre column so as to make the angle of the top plate independent of the rest of the tripod. Locking and unlocking of the half ball is via a turning grip on the bottom of the centre column, which can be removed during fitting of the column to your existing tripod. The half ball-mounted plate has a male 3/8" screw for attachment to a photo or video head, and a bubble spirit level for added ease of use.

555B for tripods series 055.
556B for tripod series 190.
PAT. PENDING



TWO SECTION CENTER COLUMN FOR 190 RANGE 190TS **B** TWO SECTION CENTER COLUMN FOR 055 RANGE 055TS **B**

This new centre column design allows to leave the head mounted on the centre column when switching between low angle and normal shooting position. The top section can be detached without any tools, by hand-unscrewing the knob at the bottom of the column. Available in silver and lack anodised finishing. 190TS: compatible with all 190 range of tripods, supplied as a standard with the 190PRO, 190MF3, 190MF4. 055TS: compatible with all 055 range of tripods, supplied as a standard with the 055PRO, 055MF3, 055MF4 and 458B. PAT. PENDING



LOW ANGLE ADAPTER FOR 190 RANGE 190LAA LOW ANGLE ADAPTER FOR 055 RANGE 055LAA

Low angle adapter to store at the bottom of the centre column when the tripod legs angle is set to 43°, 73° and 90°. 190LAA: compatible with the tripods code 190D, 190DB, 190CL, 190CLB and 190NAT3. 055LAA: compatible with the tripods code 055D, 055DB, 055CL, 055CLB and 055NAT3.

Accessories



CAMERA BRACKET 233B



1kg

Camera flash bracket with telescopic column from 30 cm to 45 cm.



LONG LENS CAMERA SUPPORT 359



0.69kg

A very useful addition to any photographers complement of attachments. Complete with Super Clamp 035 and Mini Ball Head 482. Fully adjustable between 40cm and 60cm with a simple telescopic locking device.



ELBOW BRACKET 340



0.32kg

The "Elbow Bracket" enables one to rapidly change from a horizontal to a vertical shooting position, without having to reposition the tripod and to keep an axis of vision which is vertical to the tripod itself, thus avoiding the threat of tilting. Compatible with the following heads: 029, 229 and 488RC0. Comes complete with 1/4" to 3/8" screws.



JUNIOR ELBOW BRACKET 341



0.32kg

The Junior Elbow Bracket enables you to rapidly change from a horizontal to a vertical shooting axis, without having to reposition the tripod. Its adjustable stop prevents accidental camera rotation. Great for small & medium sized cameras equipped with telephoto lenses. Its new design allows you to use this handy accessory on all heads equipped with the 200PL type of camera plate.



FOLDING BASE FOR PROJECTOR 246

Folding down to a portable 30cm, this Danish designed base holds most projectors easily on a tripod. Tapped on the bottom for 3/8" screws.



MONITOR/PROJECTOR HOLDER 183



1kg



20kg

Made of sturdy aluminium, this 25 x 35cm platform can support up to 20kg. It is ideal as a projector or monitor stand.



TABLE SUPPORT 355

This simple table mounting support is supplied with three holes for fixing or clamping. Comes complete with the Monopod Tilt Head 234.



WALL SUPPORT 356

As for the 355 but designed to be mounted to a wall. Comes complete with the Monopod Tilt Head 234.



TELEPHOTO LENS SUPPORT 293

Support for medium telephoto lens. The length of the bracket is adjustable to take different length lenses and different diameters by tilting the Tilt Head 234RC (included). Length from head to lens support adjustable from 200 to 295mm. Attachments: 4 x 3/8" female and 3 x 1/4" female.



MACRO BRACKET FLASH SUPPORT 330B



0.35kg



1kg

Allows two flash heads to be mounted with a camera onto a tripod head. Attachments: 3/8" & 1/4" female threads & 1/4" camera fixing screw.



MICRO POSITIONING PLATE 454



0.45kg



8kg

Ideal for macro photography to make precise positioning movements to achieve the perfect framed shot, for QTVR and other precise copy/repro work, the new sliding plate has finger-tip control for hairsbreadth positioning but with a simple lock-release lever for fast set-up. Two plates can be interlocked at 90 degrees for full lateral/ forward/ /back movement (over 120mm). In extruded aluminium, the plate has 1/4" and 3/8" holes and screws for tripod and camera mounting. Dimension: 180x57,5x6mm



TOOL KIT WMANTOOL

Set of tools (2) to adjust the locking collars of most of Manfrotto's tripods, stands and Monopods. The kit comprises a PHILLIPS screwdriver TYPE 2 and a hexagonal tubular SOCKET N. 8.



ACCESSORY LONG PLATE 430

Allows two camera mounting positions. Supplied with 2 x 1/4" and 2 x 3/8" camera fixing screws. Dimension: 280x80x10mm



LEG WARMERS 380

Set of 3 Manfrotto Patented Leg Warmers, which have a zip system so they can be easily fitted and will not slip down in use. Offer good grip. Protect the legs and insulate your hands when using the tripod in cold weather. For tripods series 055. Length 355mm.

LEG WARMERS 381

For tripods series 190. Length 250mm.



ANTI THEFT PLATE 030AT



0.45kg

For heads with hexagonal plates. Key lock system for camera release and 200cm steel cable.

Accessories



CAMERA MOUNTING STUD 037

Reversible stud with 3/8" and 1/4" designed for mounting cameras flush on 035 Super Clamp.



METZ FLASH SCREW 248

A special long 1/4" camera screw used in conjunction with the hexagonal 030 camera plate which allows you to fit the Metz flash bracket.



ADAPTOR FROM 3/8" TO 1/4" 120

Converts tripod head screw from 3/8" to 1/4". Diameter: 60mm



JOINT FOR ARMS 120DF

Adapter 3/8" F-1/4" F allows using accessory arms 131D and 131DD as column extensions. Diameter: 60mm



FLASH SHOE 143S

Flash shoe.



NIKON FLASH ADAPTOR 262

Converts Nikon flash mount to universal flash bracket.



CAMERA MOUNTING ADAPTOR 208

Allows use of 3/8" camera mounting plate in to 16mm socket. Compatible with 035 Super Clamp and 484RC2 or 486RC2 Ball Head for example. Diameter: 59,5mm



CAMERA MOUNTING ADAPTOR HEXAGONAL PIN 208HEX

Its main feature is the hexagonal pin, which, compared to the 208's round one, gives more grip when used to hold heavy cameras mounted on photo or video heads in combination with accessories like the super clamp 035.



SURVEY ADAPTOR 273

Converts tripod head screw from 3/8" threads to 5/8".




SURVEY PLATE ADAPTOR 324

This adaptor is made of two pieces: a 5/8" bushing with a 3/8" female attachment to connect it to a tripod and a removable plate 124mm diameter with a 5/8" male thread that should stay connected to the equipment. With the 324 it is possible to transform any Manfrotto tripod into a tripod compatible with the standard attachment interface system used in the survey and measuring industry.



SURVEY PLATE ADAPTOR ACCESSORY PLATE 358

Spare plate code for 324



SMALL ADAPTOR 088LBP

Converts 1/4" screw to 3/8".



PUMP CUP 241



1.2kg

Suction cup for small fixtures and lightweight equipment. Ø: 150mm.



PUMP CUP WITH FLAT BASE 241FB



0.62kg

Suction Cap for lightweight photographic and video equipment, such as 35 mm. SLR, digital cameras and lightweight video cameras. The 60 mm. diameter disc with a 3/8" W male thread is built in the pump cup and enables you to mount most of Manfrotto's heads.



CAMERA SUCTION MOUNT 241V



1.5kg



3kg

Attaches to most non-porous surfaces. Ideal camera support in automobile or next to a window.



DOUBLE BALL TILT HEAD 155RC



15cm



0.6kg



5kg



200PL-14

Not strictly a tripod head, but an extremely versatile camera support for compact and 35mm cameras used in conjunction with Super Clamp 035. Supplied with quick release camera plate and secondary safety lock.



PHOTO CLAMP

296

Can be fixed to surfaces up to 60mm thick. Has 2 x 3/8" male threads for mounting ball head and camera.



CAR WINDOW POD

243

Used for attaching either 482 or 234 head to a window or narrow sill. Attachment screw is 3/8". Ball head not provided.



SUPER CLAMP

035

 0.25kg

This universal clamp can be securely mounted on any tube from 13 to 45mm. Attachment is 5/8" hexagonal socket.



BINOCULAR SUPER CLAMP

035BN

 0.25kg

Designed to securely hold binoculars.



VARIABLE FRICTION ARM WITH QUICK RELEASE PLATE

244RC

 1.11kg  4kg  200PL-14

Articulated arm with large locking knob. Variable friction and locking of arm obtained by adjusting the knob. Supplied with quick release camera plate with secondary safety lock based on the 200PL-14 camera plate mechanism. Ideal for mounting a photographic or video camera exactly at the angle you need it. Fits any 5/8" female socket, works especially well with 035 Super Clamp.



MAGIC ARM WITH QUICK RELEASE PLATE

143RC

 1.09kg  4kg  200PL-14

Your extra arm in the studio. One lever locks three pivot points. Supplied with a quick release camera plate with secondary safety lock based on the 200PL-14 system. Ideal for mounting a camera or a camcorder exactly at the angle you need it. Fits any 5/8" female sockets, works especially well with 035 Super Clamp.



COLUMN CLAMP

349

Versatile clamp designed to work in conjunction with removable tripod columns of between 25 to 28mm diameter such as the 055 and 190 series tripods. The Column Clamp can be securely fixed to solid surfaces and bars up to 55 mm width. The column with head is inserted into the clamp and locked in position at the required height. The ideal accessory for nature photography or support for binoculars and scopes.

COLUMN CLAMP FOR CARBON CENTRE COLUMN

349C
Only for use with discontinued CARBON N ONE series tripod (440, 441, 443 and 444 models)

SPECIAL ADDITIONAL FEET

A complete line of foot conversions to adapt our tripods and monopods to all type of terrains in order to give them the maximum stability possible.



055SPK2
190SPK2
190SPK2N
440SPK2
441SPK2
439SPK2

RUBBER SPIKED FOOT STAINLESS STEEL

Reversible rubber/metal spiked feet (set of 3) supplied with a dedicated fixing tool. The spike is made of a special hard anodised aluminium alloy extremely resistant to corrosion.

055SPK2 for tripod: 055D, 055CL, 055PRO and 055NAT3.

190SPK2 for tripod: 190D, 190CL, 190PRO and 190NAT3 old model with 19mm leg.

190SPK2 for tripod: 190D, 190CL, 190PRO and 190NAT3.

440SPK2 for tripod: 724B, 728B, 190MF3 and 055MF4.

441SPK2 for tripod: 055MF3.

439SPK2 for tripod: 190MF4.



055SPK

RETRACTABLE SPIKED FOOT ADAPTER

Rubber feet (set of 3) for with retractable metal spike

For tripods: 055MF4.



055SCK2
190SCK2
190SCK2N
440SCK2
441SCK2
439SCK2

SUCTION CUP/RETRACTABLE SPIKE FEET

A rubber section cup feet (set of 3) with retractable stainless steel spike. The suction cup increases the footprint of the monopod by almost 20 times, giving much greater stability when needed. The foot can be removed and replaced at will.

055SCK2 for tripod: 055D, 055CL, 055PRO and 055NAT3.


190SCK2 for tripod: 190D, 190CL, 190PRO and 190NAT3 old model with 19mm leg.

190SCK2 for tripod: 190D, 190CL, 190PRO and 190NAT3.

440SCK2 for tripod: 724B, 728B, 190MF3 and 055MF4.

441SCK2 for tripod: 055MF3.

439SCK2 for tripod: 190MF4.



230

SNOW SHOES

Attach to tripod feet or monopods to provide stability in snow, mud or soft ground (set of 3).

For tripods: 190D, 190CL, 190PRO, 190NAT3, 190MF3, 190MF4, 055D, 055CL, 055PRO, 055NAT3, 055MF3, 055MF4, 458B, 028, 475, 058 and 161MK2.
Diameter: 138mm

PLATES

Plate Adaptors



SLIDING PLATE ADAPTOR **577**

Supplied with 1/4" and 3/8" camera fixing screws. Fixing 1/4" and 3/8" thread. 501PL sliding plate included.



HEXAGONAL PLATE ADAPTOR **625**

Supplied with 1/4" and 3/8" camera fixing screws. Fixing 1/4" and 3/8" thread. 030 hexagonal plate included. Equipped with 2 built-in spirit levels.



RECTANGULAR PLATE ADAPTOR **323**

Supplied with 1/4" camera fixing screws. Fixing 1/4" and 3/8" thread. 200PL rectangular plate included.



"DOVE TAIL" PLATE ADAPTOR **384**

Supplied with 1/4" and 3/8" camera fixing screws. Fixing 1/4" and 3/8" thread. 384PL and 384PLARCH plates included.



PLATE ADAPTOR **394**

Supplied with 1/4" and 3/8" camera fixing screws. Fixing 1/4" and 3/8" thread. 410PL plate included. Equipped with 2 built-in spirit levels.



SLIDING PLATE ADAPTOR **357**

Supplied with 1/4" and 3/8" camera fixing screws. Fixing 1/4" and 3/8" thread. 357PLV sliding plate included. Dimension: 140x44x6mm


Hexagonal Plates



HEXAGONAL PLATE 030
030-14 with 1/4" screw.
030-38 with 3/8" screw.



ARCH HEXAGONAL PLATE 030ARCH
Provides alignment for 90° shots with 35mm SLR camera.
030ARCH-14 with 1/4" screw.
030ARCH-38 with 3/8" screw.



HEXAGONAL PLATE 030HAS
For Hasselblad cameras.
Supplied with both 1/4" and 3/8" screw.



HEXAGONAL PLATE 130
130-14 with 1/4" screw.
130-38 with 3/8" screw.

Rectangular Plates



RECTANGULAR PLATE 200PL
200PL-14 with 1/4" screw.
200PL-38 with 3/8" screw.



ARCH RECTANGULAR PLATE 200PLARCH
Provides alignment for 90° shots with 35mm SLR camera
200PLARCH-14 with 1/4" screw.
200PLARCH-38 with 3/8" screw.



UNIVERSAL "ANTI TWIST" SPOTTING SCOPE PLATE 200USS
This adapter plate has been specifically designed to eliminate unwanted rotation of the spotting scope during viewing. Its universal design means it can be used to mount all makes of spotting scope, no matter what their foot shape (square, rectangular, trapezium), on any Manfrotto two-way head with rapid RC2 connector system. The adapter is made from machine-tooled aluminum with a black anodized finish. In addition to the standard 1/4" screw, it has two grub set screws to lock the spotting scope securely in position.

Special Plates



LARGE PLATE 030L
Large 10cm x 10cm plate with 1/4" and 3/8" screw.



"DOVE TAIL" PLATE 384PL
384PL-14 with 1/4" screw.
384PL-38 with 3/8" screw.



"DOVE TAIL" ARCH. PLATE 384PLARCH
Provides alignment for 90° shots with 35mm SLR camera
384PLARCH-14 with 1/4" screw.
384PLARCH-38 with 3/8" screw.



ACCESSORY PLATE 410PL
410PL-14 with 1/4" screw.
410PL-38 with 3/8" screw.



ACCESSORY PLATE 400PL
400PL-LOW = 13mm H.
400PL-MED = 23mm H.
400PL-HIG = 42mm H.



PLATE 501PL
Supplied with 1/4" and 3/8" camera fixing screws.
Dimension: 86x38x11mm



SLIDING PLATE 357PLV
Supplied with 2 x 1/4" and 2 x 3/8" camera fixing screws.
Dimension: 140x44x6mm

TRIPOD BAGS

A tripod is a wonderful thing. Carrying one never has been...until now. At Manfrotto, we know more than most about how the subject, so it was in our own interests as much as it was in yours to develop a complete range of carrying and transportation solutions designed around the one piece of photo or video kit that most bag manufacturers conveniently choose to ignore... our own beloved tripod. With our new carrying systems, we've worked from the inside out to invent new contoured bag shapes that fit your kit and offer convenient ways of setting up and breaking down faster, a "space pad" that lets you shoulder carry your tripod without risking bangs and bruises, an open backpack that keeps your hands free, your tripod protected and weight to a minimum. Whether you want a handle or strap that doesn't even have to be removed from your tripod when you set up a shoot, or whether you need a protective shell to get your kit safely through baggage hall hell, we're pleased to say we've got the solution. With innovative technical features, prime materials and first class construction methods, the quality of all our bags and carrying solutions is up to the high standards you expect from Manfrotto.

Central handle
(on models **MBAG120P**,
MBAG100P, **MBAG90P**)

High quality, durable ballistic nylon.

Padded Tripod Bag
(models **MBAG120P**,
MBAG100P, **MAGB90P**,
MBAG80P).

Padded end protects tripod head.

Easy-grip zip opening

Adjustable carrying handle to better balance during transportation heavy heads mounted on the tripod.
(on models **MBAG120P**,
MBAG100P, **MBAG90P**)

Shoulder strap

End handle (on models **MBAG120P**, **MBAG100P**,
MAGB90P, **MAGB80P**,
MBAG80)

Internal pocket holds video head pan bar (on models **MBAG120P**,
MBAG100P, **MAGB90P**)

End opening allows for faster "quiver"- style extraction and insertion of the tripod.



PADDED TRIPOD BAG 120CM MBAG120P

The largest bag in the range, the MBAG120P is padded to protect your equipment and has the following features:

- Asymmetric tapered shape allows you to store the tripod with the head attached. Tripod legs fit comfortably in the narrower end (diameter 20cm) and extra space is allowed for the larger volume of the head at the wider end (diameter 23cm).
- Zip extends down the length of the bag, but also fully opens the top end of the bag.
- Thermoform padding holds the tripod in place in the bag and protects it, especially the head, during transport.
- Inner pocket holds accessories (such as video head pan bars)
- Innovative design and style; ballistic nylon, zips and other materials used are of top quality
- Can be hand-carried horizontally by the side handle, vertically by the end handle (also useful for storage), or shoulder-carried using the included strap.

PADDED TRIPOD BAG 100CM MBAG100P

Same design of **MBAG120P** different size and without the double positioning carrying handle

PADDED TRIPOD BAG 90CM MBAG90P

Same design of **MBAG120P** different size and without the double positioning carrying handle.

PADDED TRIPOD BAG 80CM MBAG80P

Basically the same as **MBAG120P**, but smaller, and without the side handle or inner accessory pocket. The MBAG80P is also narrower than the other padded bags. The narrow end measures 13cm diameter, the wide end measures 15cm.

UNPADDED TRIPOD BAG 80CM MBAG80

The MBAG80 is an unpadded tripod bag.

- Slightly tapered to provide a better fit for your tripod with attached head. The wider end of the bag accommodates the head without requiring all levers to be removed.
- Zip extends down the length of the bag, but also fully opens the top end of the bag.
- Logo end cap is padded to offer protection to the tripod head, the rest of the bag is unpadded.
- Shoulder strap included (the MBAG80 doesn't have either end or side handle) .
- Innovative design and style; ballistic nylon, zips and other materials used are of top quality.

UNPADDED TRIPOD BAG 70CM MBAG70

Same as **MBAG80**, but slightly smaller.

MINI AIR BAG MBAGD

The smallest and simplest model in the range, the **MBAGD** is an unpadded rucksack-style bag for small tripods. It has a bungee cord top opening and adjustable straps. In resistant nylon with printed Manfrotto logo.

A	MBAG 120P
B	MBAG 100P
C	MBAG 90P
D	MBAG 80 MBAG 80P
E	MBAG 70
F	MBAG D
G	345BAG

PHOTO TRIPOD MODEL	PHOTO HEAD MODEL	029	056	115	141/141RC/141TRCNAT	160	222/222NAT	229	322RC2	329RC4	400	405	410	460MG	468MG	482	484/484RC2	486/486RC2	488/488RCO	488RC2/488RC4	490/490RC4	TWO WAYS HEAD MODEL	128RC/128LP/128RCNAT	390RC2/390RCNAT	501	700RC2/700RC2NAT	TRIPOD WITHOUT HEAD
028		B			B	B	B	B	B	B	B	B	B		B			C	B	B	B		B		B		C
055D/055CL/ 055MF4		C	D	D	D	C	D		D	D			D	D	D	D	D	D	D	D	D		D		D	D	D
055NAT3		C	D	D	D	C	D		D	D			D	D	D	D	D	D	D	D	D		D		D	D	D
055PRO/055MF3		C	D	D	D	C	D		D	D			D	D	D	D	D	D	D	D	D		D		D	D	D
058		A				A	A	A	A	A	A	A	A	A	A				A	A	A				A		A
161MK2																											A
190NAT3			E	E	D		D		D				D	E			E	E	E				E	E		E	E
190D/190CL/ 190MF4			E	E	D		E		D				D	E			E	E	E				E	E		E	E
190PRO/190MF3			E	E	D		D		D				D	E			E	E	E				E	E		E	E
458B			D		D	C	D		D	D			D	D	D		D	D	D				D	D	D	D	D
475		B			B	B	B	B	B	B	B	B	B		B			A	B	B	B		B		B		C
709B/709BR																											G
714B																											F
714SHB																											F
718B																											F
718SHB																											F
724B																											F
728B																											F

Tripod Carrying Systems



102



102NAT



440STRAP

LONG STRAP 102

The 102 strap is a basic but convenient way to carry your kit. It has a spring clip that fastens quickly to the steel ring at the shoulder of the tripod, and a closed loop that goes around the feet of the tripod and tightens to grip them securely. Features an adapter for compatibility with all Manfrotto tripods and rubberised fabric for comfort and to avoid the tripod slipping on your shoulder.

LONG STRAP GREEN 102NAT

Same as 102, but in green rubberised fabric to match our birdwatching and nature photography range.

LONG STRAP 440STRAP

Same as 102, but made with a narrower black rubberised fabric (40mm width instead of 50mm).



402



402NAT



441STRAP

SHORT STRAP 402

The 402 is a simple loop strap, with a single spring clip that attaches to the quickly to the steel ring at the shoulder of your tripod. Features an adapter for compatibility with all Manfrotto tripods.

Strap is in grey rubberised fabric for comfort and to avoid the tripod slipping on your shoulder.

SHORT STRAP GREEN 402NAT

Same as 402, but in green rubberised fabric to match our birdwatching and nature photography range.

SHORT STRAP 441STRAP

Same as 402, but made with a narrower black rubberised fabric (40mm width instead of 50mm).



APRON SUPPORT 166

Three compartments hang below the column supported by straps above the leg locks. Fits most Manfrotto tripods.



BUCKET BACKPACK 540BB

Faster to use than a traditional back pack; more convenient than having to carry your tripod in your hand or under your arm - the bucket back pack is especially useful on longer journeys or on wilder terrain, where you still need to know that you can release the tripod, set up and shoot in seconds. It's designed to hold any of our tripods with any video head attached: the head is placed in the lower "bucket" where its weight is better supported and less likely to swing off balance and hurt you, the legs extend up your back and are firmly tied in position. For birdwatchers, aeroplane enthusiasts and other users of spotting scopes, the bucket backpack will also let you transport your whole kit, with scope attached - as shown, the scope is cradled in the lower part of the back pack, and the tripod legs extend up your back.



HAND A LONG 458HL

Hand carrying strap system for 190 and 055 range of tripods, made of two adjustable straps, one to set the hooks distance when mounted on the 055 or 190 models and the second to bind together their legs to avoid their opening during the transportation.



QUICK ACTION STRAP 401N

A quick and easy accessory for carrying your tripod when walking, hiking, cycling or just getting from shoot to shoot. Use the shorter straps to fasten the padded 401N to one of the legs of your tripod, bind the remaining legs together using the longer adjustable quick release straps, sliding the tripod over your shoulder and you're ready to go, with your hands free to grab those vital last minute items. The padding helps hold the tripod in place and protects your back from bruises and chaffing. The 401N even stays attached to your tripod when shooting (all you need to do is release the longer quick release straps so you can manoeuvre and position all three legs), so you're always ready to capture the images you want, but also always ready to move off again to the next location.



The strap stays attached to your tripod when shooting



Straps can be removed and custom-positioned to better match the size of your tripod



Index

Art N°	Description	Page
028	TRIMAN TRIPOD	22
029	STANDARD HEAD	36
030	HEXAGONAL PLATE	57
030ARCH	ARCH HEXAGONAL PLATE	57
030AT	ANTI THEFT PLATE	53
030HAS	HEXAGONAL PLATE	57
030L	LARGE PLATE	57
035	SUPER CLAMP	55
035BN	BINOCULAR SUPER CLAMP	55
037	CAMERA MOUNTING STUD	54
055CCSB	ALU SHORT COLUMN	51
055CL	055 CLASSIC	16
055D	055 BASIC	16
055LAA	LOW ANGLE ADAPTER FOR 055 RANGE	51
055MF3	MAGFIBER PRO TRIPOD 3 SECTION	17
055MF4	MAGFIBER PRO TRIPOD 4 SECTION	17
055NAT3	055 TRACKER TRIPOD GREEN	16
055PRO	055 PRO	16
055SCK2	SUCTION CUP/RETRACTABLE SPIKE FEET	56
055SPK	RETRACTABLE SPIKED FOOT ADAPTOR	56
055SPK2	RUBBER/SPIKED FOOT STAINLESS STEEL	56
055TS	TWO SECTION CENTER COLUMN FOR 055 RANGE	51
056	3D JUNIOR HEAD	35
058	TRIAUT TRIPOD	23
080	MONOPOD BELT POUCH	49
088LBP	SMALL ADAPTOR	54
102	LONG STRAP	60
102NAT	LONG STRAP GREEN	60
114	VIDEO DOLLY	50
115	SUPER 3D HEAD	35
120	ADAPTER FROM 3/8" TO 1/4"	25/54
120DF	JOINT FOR ARMS	54
127	BASIC DOLLY	50
127VS	PORTABLE DOLLY	50
128LP	MICRO VIDEO HEAD	41
128RC	MICRO VIDEO HEAD BLACK	41
128RCNAT	MICRO VIDEO HEAD GREEN	41
130	HEXAGONAL PLATE	57
131D	ACCESSORY ARM	25/51
131DD	ACCESSORY ARM FOR 4 HEADS	25/51
131TC	TABLE CENTRE POST	51
141	BASIC HEAD	36
141RC	BASIC HEAD BLACK WITH QUICK RELEASE PLATE	36
141RCNAT	BASIC HEAD GREEN WITH QUICK RELEASE PLATE	36
143RC	MAGIC ARM WITH QUICK RELEASE PLATE	55
143S	FLASH SHOE	54
155RC	DOUBLE BALL TILT HEAD	54
160	HEAVY-DUTY HEAD	37
161MK2	SUPER PRO TRIPOD	23
165	TRIPOD SPREADER	50
166	APRON SUPPORT	60
181B	FOLDING AUTO DOLLY	50
183	MONITOR/PROJECTOR HOLDER	52
190CCSB	SHORT COLUMN	51
190CL	190 CLASSIC	10
190D	190 BASIC	10
190LAA	LOW ANGLE ADAPTER FOR 190 RANGE	51
190MF3	MAGFIBER TRIPOD 3 SECTION	13
190MF4	MAGFIBER TRIPOD 4 SECTION	13
190NAT3	190 TRACKER TRIPOD GREEN	10
190PRO	190 PRO	10
190SCK2	SUCTION CUP/RETRACTABLE SPIKE FEET	56
190SCK2N	SUCTION CUP/RETRACTABLE SPIKE FEET	56
190SPK2	RUBBER/SPIKED FOOT STAINLESS STEEL	56
190SPK2N	RUBBER/SPIKED FOOT STAINLESS STEEL	56

Art N°	Description	Page
190TS	TWO SECTION CENTER COLUMN FOR 190 RANGE	51
200PL	RECTANGULAR PLATE	57
200PLARCH	ARCH. RECTANGULAR PLATE	57
200USS	UNIVERSAL "ANTI TWIST" SPOTTING SCOPE PLATE	57
208	CAMERA MOUNTING ADAPTOR	54
208HEX	CAMERA MOUNTING ADAPTOR HEXAGONAL PIN	54
222	GRIP ACTION BALL HEAD BLACK	29
222NAT	GRIP ACTION BALL HEAD GREEN	29
229	3D PRO HEAD	37
230	SNOW SHOES	56
233B	CAMERA BRACKET	52
234	MONOPOD TILT TOP	49
234RC	MONOPOD QUICK RELEASE TILT TOP	49
236	SPIKED FOOT FOR MONOPOD	49
241	PUMP CUP	54
241FB	PUMP CAP WITH FLAT BASE	54
241V	CAMERA SUCTION MOUNT	54
243	CAR WINDOW POD	55
244RC	VARIABLE FRICTION ARM WITH QUICK RELEASE PLATE	55
246	FOLDING BASE FOR PROJECTOR	52
248	METZ FLASH SCREW	54
262	NIKON FLASH ADAPTOR	54
273	SURVEY ADAPTOR	54
293	TELEPHOTO LENS SUPPORT	53
296	PHOTO CLAMP	55
300N	PAN ROTATION UNIT	47
303	PAN HEAD	46
303PLUS	PRECISION PAN HEAD	45
303SPH	MULTI ROW PAN HEAD	44
303SPHUK	UPGRADE KIT: CONVERTS 302 INTO 303SPH HEAD	44
322RA	ADDITIONAL CAMERA PLATE FOR 322RC2	33
322RC2	HORIZONTAL GRIP ACTION BALL HEAD	32
322RS	ELECTRONIC SHUTTER RELEASE KIT	33
322RSM	CABLE SHUTTER RELEASE KIT	33
323	RECTANGULAR PLATE ADAPTOR	56
324	SURVEY PLATE ADAPTOR	54
329RC4	PRO COMPACT HEAD WITH RELEASE PLATE	37
330B	MACRO BRACKET FLASH SUPPORT	53
331	MONOPOD SUPPORT	49
334B	AUTOMATIC MONOPOD	48
337	HOT SHOE TWO AXIS BUBBLE LEVEL	47
338	LEVELLING BASE	47
340	ELBOW BRACKET	52
341	JUNIOR ELBOW BRACKET	52
345	TABLE TOP TRIPOD KIT	8
349	COLUMN CLAMP	55
349C	COLUMN CLAMP FOR CARBON CENTRE COLUMN	55
355	TABLE SUPPORT	52
356	WALL SUPPORT	52
357	SLIDING PLATE ADAPTOR	56
357PLV	SLIDING PLATE	57
358	SURVEY PLATE ADAPTOR ACCESSORY PLATE	54
359	LONG LENS CAMERA SUPPORT	52
361	SHOULDER BRACE FOR MONOPOD	49
380	LEG WARMERS	53
381	LEG WARMERS	53
384	DOVE TAIL PLATE ADAPTOR	56
384PL	DOVE TAIL PLATE	57
384PLARCH	DOVE TAIL ARCH. PLATE	57
385	AIR CUSHIONED TABLE CENTER POST	51
390RC2	JUNIOR HEAD BLACK	41
390RC2NAT	JUNIOR HEAD GREEN	41

Art N°	Description	Page	Art N°	Description	Page
393	LONG LENS MONOPOD BRACKET	49	678	UNIVERSAL FOLDING BASE	49
394	PLATE ADAPTOR	56	679	MONOPOD	48
400	GEARED HEAD	39	680	COMPACT MONOPD	48
400PL	ACCESSORY PLATE	57	681	PROFESSIONAL MONOPOD	48
401N	QUICK ACTION STRAP	61	682	SELF-STANDING PRO MONOPOD	48
402	SHORT STRAP	60	684B	NEOTEC PRO PHOTO MONOPOD	48
402NAT	SHORT STRAP GREEN	60	694	MAGFIBER MONOPOD 4 SECTION	48
405	PRO GEARED HEAD	39	695	MAGFIBER MONOPOD 5 SECTION	48
410	JUNIOR GEARED HEAD	38	695SC2	SUCTION CUP/RETRACTABLE SPIKE FOOT	49
410PL	ACCESSORY PLATE	57	695SP2	RUBBER/SPIKED FOOT STAINLESS STEEL	49
430	ACCESSORY LONG PLATE	53	700RC2	MINI VIDEO HEAD BLACK	40
438	BALL CAMERA LEVELLER	47	700RC2NAT	MINI VIDEO HEAD GREEN	40
439SCK2	SUCTION CUP/RETRACTABLE SPIKE FEET	56	701RC2	VIDEO HEAD	41
439SPK2	RUBBER/SPIKED FOOT STAINLESS STEEL	56	709B	DIGI TRIPOD BLACK	8
440SCK2	SUCTION CUP/RETRACTABLE SPIKE FEET	56	709BR	SILVER BRIGHT DIGI TABLE TRIPOD	8
440SPK2	RUBBER/SPIKED FOOT STAINLESS STEEL	56	714B	DIGI MINI TRIPOD WITH PERMANENT FRICTION BALL HEAD	8
440STRAP	LONG STRAP	60	714SHB	DIGI MICRO TRIPOD WITH PERMANENT FRICTION BALL HEAD	8
441SCK2	SUCTION CUP/RETRACTABLE SPIKE FEET	56	718B	DIGI TRIPOD WITH 3-WAY HEAD	9
441SPK2	RUBBER/SPIKED FOOT STAINLESS STEEL	56	718SHB	DIGI TRIPOD WITH 3-WAY HEAD	9
441STRAP	SHORT STRAP	60	724B	DIGI TRIPOD WITH BALL HEAD	9
449SC2	RUBBER/SPIKE FOOT STAINLESS STEEL	49	728B	DIGI TRIPOD WITH 3-WAY HEAD	9
449SP2	3D MAGNESIUM HEAD	49	800	MINI SALON	24
454	MICRO POSITIONING PLATE	53	806	MINI SALON 190	24
458B	NEOTEC PRO PHOTO TRIPOD	18	809	SALON 230	24
458HL	HAND A LONG	61	816	SUPER SALON 280	24
460MG	3D MAGNESIUM HEAD	35	816/1	SUPER SALON 230	24
468MG	HYDROSTATIC BALL HEAD	31	820	45CM COLUMN EXTENSION	25
468MGRC0	HYDROSTATIC BALL HEAD WITH RC0 RAPID CONNECT SYSTEM	31	822	LOW ANGLE ADAPTER ARM	25
468MGRC2	HYDROSTATIC BALL HEAD WITH RC2 RAPID CONNECT SYSTEM	31	824	90° ADDITIONAL REVOLVING HEAD	25
468MGRC3	HYDROSTATIC BALL HEAD WITH RC3 RAPID CONNECT SYSTEM	31	826	HORIZONTAL BRACKET WITH TWO CONNECTIONS	25
468MGRC4	HYDROSTATIC BALL HEAD WITH RC4 RAPID CONNECT SYSTEM	31	828	HORIZONTAL BRACKET WITH TWO CONNECTIONS	25
468MGRC5	HYDROSTATIC BALL HEAD WITH RC5 RAPID CONNECT SYSTEM	31	834	ADDITIONAL COUNTER-WEIGHT	25
475	PRO GEARED TRIPOD	22	840	ADDITIONAL CAMERA MOUNT	25
482	MICRO BALL HEAD	28	842	90° CAMERA MOUNT	25
484	MINI BALL HEAD	28	844	UTILITY TRAY 29X29 CM	25
484RC2	MINI BALL HEAD WITH RC2 RAPID CONNECT SYSTEM	28	MBAGD	MINI AIR BAG	59
486	COMPACT BALL HEAD	28	MBAG70	PADDED TRIPOD BAG 70CM	59
486RC2	COMPACT BALL HEAD WITH RC2 RAPID CONNECT SYSTEM	28	MBAG80	PADDED TRIPOD BAG 80CM	59
488	MIDI BALL HEAD	28	MBAG80P	PADDED TRIPOD BAG 80CM	59
488RC0	MIDI BALL HEAD WITH RC0 RAPID CONNECT SYSTEM	28	MBAG90P	PADDED TRIPOD BAG 90CM	59
488RC2	MIDI BALL HEAD WITH RC2 RAPID CONNECT SYSTEM	29	MBAG100P	PADDED TRIPOD BAG 100CM	59
488RC4	MIDI BALL HEAD WITH RC4 RAPID CONNECT SYSTEM	29	MBAG120P	PADDED TRIPOD BAG 120CM	59
490	MAXI BALL HEAD	29	WMANTOOL	TOOL KIT	53
490RC4	MAXI BALL HEAD WITH RC4 RAPID CONNECT SYSTEM	29			
501PL	PLATE	57			
540BB	BUCKET BACKPACK	61			
553	LEVELLING CENTRE COLUMN ANGLE BRACKET	51			
555B	LEVELLING CENTRE COLUMN	51			
556B	LEVELLING CENTRE COLUMN	51			
577	SLIDING PLATE ADAPTOR	56			
625	HEXAGONAL PLATE ADAPTOR	56			
627	BASIC PANORAMIC HEAD ADAPTER	47			
676B	DIGI MONOPOD	48			
676SC2	RUBBER/SPIKE FOOT	49			
676SP2	RUBBER/SPIKE FOOT STAINLESS STEEL	49			
677SC	SUCTION CUP/RETRACTABLE SPIKE FOOT	49			
677SP	RUBBER/SPIKE FOOT	49			





Manfrotto



Lino Manfrotto + Co., S.p.A.

Via Sasso Rosso 19
I-36061 Bassano del Grappa (VI) Italia
Tel +39 0424 555 855
Fax +39 0424 808 999
www.manfrotto.com

Product photography: Roberto Bigano/Multistudio
VR photos Funivia Malcesine/Monte Baldo. Courtesy Doppelmayer Italia.

© Gruppo Manfrotto 2004

Whilst every effort has been made to ensure that the information contained within this catalogue is correct, Gruppo Manfrotto srl accepts no liability for errors or omissions. Technical specifications and data are provided for guidance only. All rights are strictly reserved, Products shown in this catalogue are protected by international patents, while this publication (in whole or in part) without written consent from Gruppo Manfrotto srl is strictly forbidden and punishable by law. Because we constantly aim to improve our products, we reserve the right to amend or alter at any time and without prior notice the specifications of any item detailed in this publication.

ISSUE CODE LNORD04,G ISSUE NUMBER N°2 - 11/04